



DEMOUNTABLE GLASS PARTITION SYSTEM

TABLE OF CONTENT

Company Profile	1
Fine Glaze	3
Slim Glaze	5
V16 Slim Glaze	7
Ultra Glaze	9
Wide Single Glaze	11
Wide Double Glaze	13
Single Glaze Stile Door	15
Double Glaze Stile Door	17
Sliding Door	19
Sliding Folding Partition	21
Technical Power Panel	23
Architectural Hardware & Accessories	25
Our Respected Clients	30
Our Projects	34


PERFORMANCE CERTIFICATE

SOUND TRANSMISSION

Sound transmission loss test results of Vantage Single Glaze partition system with 10mm float glass and 10mm float glass door tested as per ISO 10140 - 2/ ASTM E90 using Reverberation chambers at ARAI, India

Test report No. NVH/7842/2017-18/590(V-5)

One Third Octave Frequency, Hz	Sound Transmission Loss, dB	Standard deviation, dB
100	25.7	0.2
125	27.5	0.2
160	28.7	1.5
200	28.0	1.2
250	29.0	0.5
315	32.5	0.7
400	34.3	1.1
500	35.3	1.1
630	36.5	0.7
800	37.2	0.6
1000	34.7	0.7
1250	29.2	0.8
1600	28.1	0.6
2000	32.0	0.3
2500	34.7	0.1
3150	37.1	0.3
4000	39.6	0.7
5000	41.6	0.1
6300	44.0	0.3
8000	45.0	0.2
STC	32	-
R_w, C, C_w	34(-1;-2)	-



The sound transmission class (STC) is calculated as per ASTM E-413 and weighted sound reduction index with spectrum adaptation terms $R(C)$ is calculated as per ISO 717-1

Sound transmission class (STC)	32 dB
Weighted sound reduction index with spectrum adaption terms $R_w (C_{100-5000}; C_{1100-5000})$	34 (-1;-2) dB



Add : Shop No. 336, 3rd Floor, V-Mall, Thakur Complex, W.E. Highway, Kandivali (East), Mumbai - 400101.

P : +91 99303 16425

E : info@vantageindia.in, W : www.vantageindia.in

COMMITMENT TO EXCELLENCE



COMPANY PROFILE

Vantage India Pvt Ltd. is among the pioneering brands for Architectural Products and Services for commercial interior spaces. Our products are essential elements for modern, beautiful and functional workspace environments. We assist Architects and Designers by providing a wide range of solutions for each individual project.

Vantage make **'Demountable Glass Partition Systems'** have a modular design which makes it easy to install and if necessary re-work or move the partition. To give a consistent and finished look to the space Vantage also provides aluminium skirting, interior accessories like corner guards, hat profiles, step nose, levelling profiles and also solid and glass door hardware which complement our movable partition systems to provide a complete consistent system. Besides our existing systems we continuously research the market for any application or requirement which can set us apart and benefit our customers.

Vantage is also committed for the research and application of energy conservation, acoustic manipulation and in creating a smarter space for our customers.



VISION

"To provide customer oriented solutions with the best products, services and pricing and hence build a strong trustworthy relationship with our clients and make Vantage an industry giant."




MISSION

"To thoroughly assess each requirement and to ensure that we not only meet but exceed client expectations by providing the most efficient solutions via effective use of our products and services."



The demountable glass partition systems by Vantage are widely used for optimisation and compartmentalisation of workspace across various professional fields such as - Corporate Offices, Banks, Research Laboratories, Educational Universities, Building Entrance Systems, Industrial Manufacturing Facilities, Conference/Convention Halls, Hospitals and Clinics. Besides these professional applications our products have also been applied in modern /smart home designs.




FINE GLAZE




The Fine Glaze demountable partition system offers a seamless, almost borderless look on either side of the glazing. This system is most feasible for a low budget application.


- ◆ Section Variants (height x width): 25x25mm | 40x25mm
- ◆ Matte Silver & Matte Black Anodized Finish available, other finishes available on request
- ◆ Glass supported : 10 and 12mm thickness
- ◆ Single glazing system
- ◆ Acoustical Insulation: 32 dB
- ◆ Stable up to a height of 3000mm
- ◆ Curved partition is available



Fine Glaze Fix




Fine Glaze Fix



Fine Glaze Folding



VGP-L-10/12




VGP-T-10/12



VGP-I-10/12/13.5



K Type Gasket



08 Gasket



Clear VHB Tape



VCP-I-10/12mm



VCP-L-10/12mm





VCP-T-10/12mm

SLIM GLAZE




The Slim Glaze demountable partition system is the industry standard and most widely used system. Slim Glaze provides a modern and sleek aesthetic and can also accommodate a variety of door options. It is possible to fabricate a grid glass partition with intermediate members.


- ◆ Section Variants (height x width): 25x45mm
- ◆ Matte Silver & Matte Black Anodized Finish available, other finishes available on request
- ◆ Glass Supported : 8, 10 and 12mm thickness
- ◆ Single Glazing System
- ◆ Acoustical Insulation: 32 dB
- ◆ Stable up to a height of 3000mm
- ◆ Available - Grid Partition, Curved Partition and Brooklyn System




Slim Glaze Folding




Slim Glaze Fix




Slim Glaze Rebat




Slim Glaze Cap




Slim Glaze Door Fix




Slim Block Fix



Slim Block M/F




Portel 45x45-4 way




Slim Glaze T 45x45



Slim Glaze T 45x80



Slim Glaze T 45x100



Stick Patti

V16 SLIM GLAZE




V16 is the new industry standard in sleek glass partition systems with a complete fixed glass and door solution using the 16x45mm V16 profile array.

Telescopic and Synchronized sliding doors are our latest series being offered using the V16 profile system.


- ◆ Section Variants (height x width): 16x45mm
- ◆ Matte Silver & Matte Black Anodized Finish available, other finishes available on request
- ◆ Glass Supported : 8, 10 and 12 mm thickness
- ◆ Single Glazing System
- ◆ Acoustical Insulation: 32 dB
- ◆ Stable up to a height of 2700mm
- ◆ Available - Grid Partition, Curved Partition and Brooklyn System




VANTAGE
LIVING THE DIFFERENCE




V16 Glaze Folding




V16 Glaze Fix




Slim Glaze Rebat




V16 Glaze Cap




V16 Block Fix Door




V16 Block Folding



V16 10mm



V16 12mm



V16 45mm Divider



02 Gasket



04 Gasket




05 Gasket

ULTRA GLAZE




The Ultra Glaze demountable partition system is offers a bold, strong look designed to nullify any undulations that occur in adjacent gypsum partition. These gypsum partitions are of 75mm width as an industry standard and tend to never be straight edged which steals from the aesthetics of the partition system.


- ◆ Section Variants (height x width): 25x80mm
- ◆ Matte Silver & Matte Black Anodized Finish available, other finishes available on request
- ◆ Glass Supported : 8, 10 and 12mm thickness
- ◆ Single Glazing System
- ◆ Acoustical Insulation: 32 dB
- ◆ Stable up to a height of 3000mm
- ◆ Available - Grid Partition and Brooklyn System




Ultra Glaze Fix




Ultra Glaze Cap




Ultra Glaze Folding



VWGP Rebate



Ultra Brooklyn Fix




Ultra Brooklyn M/F



Bottom Lock



Overhead Door Closer



Glass Pivot Hinges



02 Gasket



04 Gasket




05 Gasket

WIDE SINGLE GLAZE




The Wide Glaze demountable partition system offers the best strength and sturdiness and is to be used when glazing height breaches 3000 mm or if a heavy look and rigid structure is desired.


- ◆ Section Variants (height x width): 25x100mm
- ◆ Matte Silver & Matte Black Anodized Finish available, other finishes available on request
- ◆ Glass Supported : 8, 10 and 12mm thickness
- ◆ Single Glazing System
- ◆ Acoustical Insulation: 32 dB
- ◆ Stable up to a height of 3000mm
- ◆ Available - Grid Partition and Brooklyn System




Wide Single Glaze Fix




Wide Single Glaze Folding



VWGP Rebate



Wide Single Technical Panel




Wide Single Block M/F




Wide Single Block Fix



VGP-I-10/12/13.5



VGP-L-10/12



VGP-T-10/12



02 Gasket



04 Gasket




05 Gasket

WIDE DOUBLE GLAZE




The Wide Double Glaze demountable partition system offers the same strength and sturdiness as the Wide Glaze system. Wide Double Glaze consists of dual tracks for double glazing with a 75mm air gap in between which provides high acoustical insulation and climate control. Grid pattern glass partition using our wide double glaze profile array is Vantage's most premium solution.


- ◆ Section Variants (height x width): 25x100mm
- ◆ Matte Silver & Matte Black Anodized Finish available, other finishes available on request
- ◆ Glass Supported : 10 and 12mm thickness
- ◆ Double Glazing System
- ◆ Acoustical Insulation: 40 dB
- ◆ Stable up to a height of 3000mm
- ◆ Available - Grid Partition and Brooklyn System




Wide Double Glaze Fix




Wide Double Glaze Folding




Wide Double Glaze Door Frame




Wide Double Glaze Block Fix



VGP-I-10/12/13.5



VGP-L-10/12



VGP-T-10/12



K-Type Gasket



08 Gasket



02 Gasket



04 Gasket




05 Gasket

SINGLE GLAZE STILE DOOR



Vantage Stile door frame is an aluminum hinged door shutter system which incorporates a single layer of glazing and multiple accessory options to suit specific needs. It is the new standard in office cabin door shutters replacing patch fitting and wooden door systems.

- ◆ Section Variants (width x depth): 65x35mm | 75x45mm
- ◆ Matte Silver & Matte Black Anodized Finish available, other finishes available on request
- ◆ Glass Supported : 8 and 10mm thickness
- ◆ Single Glazed Door System
- ◆ Acoustical Insulation: 32 dB
- ◆ Maximum Single Shutter Leaf : 2700mm(h) x 900mm(w)




Stile Door Fix
35x65mm/45x75mm




Stile Door Top
35x65mm/45x75mm




Stile Door Bottom
35x65mm/45x75mm




VSDP 25x45




VWGP




Slim Glaze 25x35mm Fix



Stile Door S-45x75



Stile Door S-35x65




Q Type Handle



Dead Bolt &
Cylinder Knob



SS Flush Hinges-5BB




Overhead Door Closer

DOUBLE GLAZE STILE DOOR




Vantage Stile Double Glaze door frame is an aluminum hinged door shutter system which incorporates two layers of glazing within the shutter and provides the highest acoustical insulation, climate control and aesthetic appeal among all door shutter options.


- ◆ Section Variants (width x depth): 100x75mm
- ◆ Matte Silver & Matte Black Anodized Finish available, other finishes available on request
- ◆ Glass Supported : 6+6 and 8+8mm thickness
- ◆ Double Glazed Door System
- ◆ Acoustical Insulation: 40 dB
- ◆ Maximum Single Shutter Leaf : 2700mm(h) x 900mm(w)




Stile Double Glaze
75x100mm Vertical




Stile Double Glaze
75x100mm Horizontal



Wide Double Glaze
Door Frame



SS Flush Hinges-5BB



Overhead Door Closer



Q Type Handle




Dead Bolt &
Cylinder Knob



VTS-01 Concealed
Door Closer



Connector Stile Door



08 Gasket



04 Gasket




05 Gasket

SLIDING DOOR




Vantage Sliding door systems are available in various options single/double leaf, stile frame/frameless sliding doors. Our sliding door systems are best used in low carpet area workspaces, to maximise uninterrupted, usable space by eliminating the swing action of the shutter.


- ◆ Frameless and Stile shutter options available
- ◆ Glass Supported : 6mm thickness
- ◆ Single Glazed Door System
- ◆ Maximum Single Shutter Leaf: 2700mm(h) x 900mm(w)




V16 Bottom




V16 Door



V16x45mm Divider



Brooklyn Profile




V-16x45 Door-1




Sliding Handle Lock



Soft Close Wheel



Sliding Track 01



Sliding Track Cover



02 Gasket



04 Gasket






05 Gasket

SLIDING FOLDING PARTITION



Vantage Sliding Folding partition system is designed to divide a large space into compartments with the flexibility of being able to quickly re-arrange the partition so as to merge the divided compartments back into one large space.

- ◆ Frameless and Stile Shutter Options available
- ◆ Glass Supported : 10mm thickness
- ◆ Single Glazed Sliding Folding System
- ◆ Maximum Single Shutter Leaf: 3000mm(h) x 900mm(w)




TECHNICAL POWER PANEL




The Technical Panel is a box type section which is used adjacent to cabin/lobby doors to accommodate biometric entry control, switches, keypads etc. and the wiring for the same without any interference with the look of the partition system. Can accommodate switch boards up to 300mm in width.


- ◆ Section Variants: 50x100mm | 100x100mm | 100x200mm | 100x300mm
- ◆ Matte Silver & Matte Black Anodized Finish Available, other finishes available on request
- ◆ Applicable up to a height of 3000mm




Technical Power
Panel 100x50mm




Technical Power
Panel 100x100mm



Technical Power
Panel 100x200mm



Technical Power
Panel 100x300mm



ARCHITECTURAL HARDWARE & ACCESSORIES

STUDIO GLASS DOOR LOCK

VPDL - 101



Suitable for 10mm/12mm Glass
Material : Alloy
Finish : Silver/Black Anodized Color

SADDLE PLATE

VTS-ACC-SADDLE PLATE



Suitable for 10mm/12mm Glass
(Plate for Mounting Door Closer on Glass)
Material : Aluminium
Finish : Anodized-Silver/Black/Gold Color

GLASS DOOR HINGES

VPDH - 104



Maximum Door Weight : 50kg/Pair
Maximum Door Size : 900mm x 2400mm
Glass Thickness : 10mm / 12mm
Material : Aluminium
Finish : Anodized-Silver/Black Color

CONCEALED DOOR CLOSER

VTS - 01



Maximum Door Weight : 90kg
Maximum Door Size : 900mm x 2400mm
Material : Aluminium
Finish : Anodized-Silver/Black Color

GLASS PIVOT HINGES

VPDP - 105



Maximum Door Weight : 80kg/Pair
Maximum Door Size : 900mm x 2400mm
Glass Thickness : 10mm / 12mm
Material : Alloy
Finish : Anodized-Silver/Black Color

OVERHEAD DOOR CLOSER

VTS - 02



Maximum Door Weight : 80kg
Maximum Door Size : 900mm x 2400mm
Glass Thickness : 10mm / 12mm
Material : Aluminium
Finish : Anodized-Silver/Black/Gold Color

SPRING HINGES

VPDH - 106



Self Closer Spring Hinges
Maximum Door Weight : 40kg/Pair
Maximum Door Size : 900mm x 2400mm
Glass Thickness : 10mm / 12mm
Function: With spring
Advantage: Better on closing and opening
Finish: Anodized-Silver/Black /Gold Color

OPEN DOOR CLOSER

VTS - 03



Maximum Door Weight : 50kg
Maximum Door Size : 900mm x 2400mm
Material : Alloy
Finish : Silver/Black Color

VPQH - 2518

Q TYPE HANDLE



Material : Stainless Steel SUS304
Finish : Stainless Steel/Black/Gold Color
Length : Ø 25mm x 350/450mm

VML - 1



Close Body Dead Bolt for Aluminium Door/
Wooden Double Throw Dead Bolt
Material : Stainless Steel
Size : 35mm
Finish : Satin Finish/Black Color

NARROW STILE MORTICE HANDLE

VMHL - 1910



Material : Stainless Steel SUS304
Size : Ø 19mm
Finish : Satin/Black/Gold Color

VCNK-60/70/120



One Side Key One Side Knob with Ultra
Key Brass 60mm/70mm/120mm
Finish : SS Finish/Black Color

VPHH - 2518

PULL HANDLE



Material : Stainless Steel SUS304
Size : Ø 25mm x 350/450/650mm
Finish : Satin/Black/Gold Color

VPF - 706



Glass Thickness : 10mm/12mm
Material : Stainless Steel
Finish : SS Finish/Black/Gold Color

NARROW STILE MORTICE LOCK

VML - 30x85



Narrow Stile Lock Body for Aluminium Door
with Latch and Double Throw Dead Bolt
Material : Stainless Steel
Size : 35mm x 85mm
Finish : Satin Finish/Black Color

VDL - 04



MAGNETIC FRAME DOOR HANDLE WITH LOCK

Glass Thickness : 6mm/8mm
Material : Alloy
Finish : Silver/Black/Gold Color

VRS - 03

SLIDING TRACK



Use for VTSS/VSSS - 011/02/03
Size : 2500/3700mm
Finish : Silver/Black/Gold Color

V16 SLIDING DOOR HANDLE WITH LOCK

VDL - 02



Product : Sliding Door Handle with Lock
Material : Stainless Steel/Aluminium
Finish : Silver/Black/Gold Color

VSR - 01

SLIDING ROLLER



Roller for Stile Door
Door Weight upto 60kgs / Set
Finish : Silver Nickle
Maximum Door Size : 600/900mm

V16 SLIDING DOOR HANDLE

VDL - 03



Product : Sliding Door Handle
Material : Aluminium
Finish : Silver/Black/Gold Color

VSR - 02

SLIDING ROLLER



Roller for Wooden Door/Stile Door : 35x65x45x75mm
Door Weight upto 60kgs / Set
Finish : Nickle
Maximum Door Size : 600/900mm

V16 SLIDING DOOR LOCK

VSDL - 05



Glass Thickness : 8mm/6mm
Product : Sliding Door Lock
Finish : Silver/Black/Gold Color

VRS - 03 CAP



Product : Sliding Top Track Cover
Size : 2500/3700mm
Finish : Silver/Black/Gold Color

PIVOT HINGE SET

VPH - V16



Suitable for V-16 Stile Door
Use Top & Bottom
Material : Aluminium/Stainless Steel

TELESCOPIC SLIDING SYSTEM

VTSS - 01



Product : 1 Fix 2 Door
Content : 1 Set
Capacity : 120kgs/2 Door
Finish : Nickle

END CAP

**VPS-END-
50/75/100**



Can be Used with all Types of Corner
Height : 100mm
Material : ABS

TELESCOPIC SLIDING SYSTEM

VTSS - 02



Product : 1 Fix 3 Door
Content : 1 Set
Capacity : 120kgs/3 Door
Finish : Nickle

ALUMINIUM SKIRTING

**VSP-
50/75/100mm**



Length : 3000mm
Height : 50mm/75mm/100mm
Material : Aluminium
Finish : Silver/Black Anodized/Other

SYNCHRO SLIDING SYSTEM

VSSS - 03



Product : Synchro Sliding Door
Content : 1 Set
Capacity : 120kgs
Finish : Black Color

ALUMINIUM SKIRTING

VSPL - 60/80mm



Length : 60mm/80mm
Height : 100mm
Finish : Silver/Black Anodized

CONNECTOR

V16 - 011



Product : Door Connector
Material : Alloy
Finish : Silver Color

STAINLESS STEEL FLUSH HINGES

VFH - 5BB



Material : Stainless Steel SUS304
Type : Ball Bearing Hinges
Size : 5x3x3mm/4x3x3mm
Finish : Stainless Steel/Black/Gold Color

ALUMINIUM T PROFILE


VGP-T-10/12mm



Suitable for Joining Three Meeting at a Common Point, Transparent Type to be use on Profile for Fixing Glasses
Length : 3000mm
Finish : Silver/Black Anodized

ALUMINIUM I PROFILE

VGP-I-10/12/13.50mm



Suitable for Joining Two Glasses (180°) Transparent Type to be use on Profile for Fixing Glasses
Length : 3000mm
Finish : Silver/Black Anodized

ALUMINIUM L PROFILE


VGP-L-10/12mm



Suitable for L Joining at a Common Point (90°), Transparent Type to be use on Profile for Fixing Glasses
Length : 3000mm
Finish : Silver/Black Anodized

ALUMINIUM CARPET EDGE PROFILE

VGP - CP - 03



Length : 3000mm
Size : 30mm x 4.5mm
Finish : Silver/Black Anodized

ALUMINIUM HAT PROFILE

VGP - HAT - 05/08/10



Hat Aluminium Profile are Developed to Make Wall Design Visually Attractive Ideal for Junction of 2 Different Materials
Length : 3000mm
Width : 5mm/8mm/10mm
Finish : Silver/Black Anodized

STAIR NOSEING

VGP - CP - 04



Aluminium Profile
Length : 3000mm
Size : 24mm/9mm
Finish : Silver/Black Color

ALUMINIUM CARPET PROFILE

VGP - CP - 02



Variable Double Sided Profile Which Bend as per Height of the Flooring on Either Side
Length : 3000mm
Width : 28mm
Finish : Silver/Black Anodized

ALUMINIUM L CORNER

VGP - CG - 12/15/19/25/38



Provide Protection to Edge of Wall Corner. Economical Option for Edge of Wall Corner Protection
Length : 3000mm
Width : 12x12 / 15x15 / 19x19 / 25x25 / 38x38mm
Finish : Silver/Black Anodized

CLIENT'S TESTIMONIALS

ASTA-Architects & Desugners

It's been a fantastic experience to be working with Vantage India. Timely & prompt response! Multiple & fantastic options for partitions & hardware.

Highly recommended.

Thank you to Mr. Shailendra Yadav & his team for a great job.!

Ar. Soniya Tambe - Founder

Design Attic

This is to acknowledge Mr. Shailendra Yadav and their team at Vantage India Pvt. Ltd has done amazing work for us at all our sites. We have been working with them for years and have received amazing service in terms of quality and installations. Be it during consultation, delivery or induction, their promptness and readiness to provide glass partition solutions is impeccable and unparalleled. We have been able to provide some very sleek glass partitions for numerous homes and office spaces due to their expertise and vouch for their work. We have worked with them on many projects and will continue to do so for quality finishing and service.

Many Thanks.

(Dhvani Bhatiya & Rhea Jacob Eapen)

Design Integrated

I have been working with M/S Vantage since the last 14 years and have been getting amazing service for both the quality of product and in the installation. They are extremely knowledgeable and provide the right technical advice and use of product or hardware depending on our requirement and budget. Their response to our immediate requirements is superlative and on a few occasions have delivered in unexpected timelines. Their post sales and installation services is commendable. I can easily vouch for their product and service for both quality and pricing and would recommend him to a lot of my fellow associates.

Many Thanks and wishing them a great future.

(Arch. Sonal Iyer -Founder)

OUR PROJECTS





CLIENTS



Notes

- ◆ The technical specification, presentation and dimensions in the illustrations and non-binding.
- ◆ We reserve all the right to make any changes to the technical specification, dimensions of the product, hence we request you to conform it to the company.
- ◆ We are not responsible for any errors occur in the printing this catalogue.
- ◆ Actual product and the printed colors of product and the surface finishes may be different, but same time it may provide useful guidelines.

VANTAGE INDIA PRIVATE LIMITED

Corporate Office

Office No. 336, 3rd Floor, V-Mall, Off. Western Express Highway,
Thakur Complex, Kandivali (East), Mumbai - 400 101.

Factory Outlet

Vantage India Pvt Ltd Phase 2, Gala No. A/3, Shree Ganesh Industrial
Estate, Kaman Bhiwandi Road, Behind Sagar Hotel, Chinchoti,
Deodal, Vasai (East), Maharashtra - 401208.

+91 91468 44712

Branch Office

152, 8th Main, 8th Cross, Canara Bank Layout, Bangalore - 560 097.

+91 83103 41257, 77602 73009

Channel Partner

Earth Interior
No. 135, New Vazhaima Nagar, 9th Street, Krishna Doss Road,
Jamaliya, Perambur, Chennai - 600 012.

+91 89394 02604 earthameer@gmail.com

info@vantageindia.in



www.vantageindia.in

